


TYPE 741

Staaldraadklemmen Drahtseilklemmen Wire rope clips Serre-câbles

Verzinkt/verzinkt/galvanized/zingué



 Art.no.	Draadafmeting Seildurchmesser Wire dimension Dimension de câbles Ø mm	Beugel-draad Bügel-Gewinde Bow-thread Filtage	Gewicht Gewicht Weight Poids kg/100	St./Pcs.
400-03E	3	M 4	0,70	100
400-05E	5	M 5	1,50	100
400-06E	6,5	M 5	2,00	100
400-08E	8	M 6	3,50	100
400-10E	10	M 8	6,50	50
400-11E	11	M 8	7,50	50
400-12E	13	M 10	12,90	50
400-14E	14	M 10	14,00	50
400-16E	16	M 12	21,60	25
400-19E	19	M 12	29,60	25
400-22E	22	M 14	35,20	
400-25E	26	M 14	38,00	
400-28E	30	M 16	59,80	
400-31E	34	M 16	75,50	
400-38E	40	M 16	91,20	

09.2005

Zonder aansprakelijkheid / Unverbindlich / Without warranty / Sans engagement

DIN 1142

Staaldraadklemmen Drahtseilklemmen Wire rope clips Serre-câbles

Verzinkt/verzinkt/galvanized/zingué



Art.no.

Draadafmeting
Seildurchmesser
Wire dimension
Dimension de câbles
Ø mm

Beugel-draad
Bügel-Gewinde
Bow-thread
Filtage

Gewicht
Gewicht
Weight
Poids
kg/100

St./Pcs.


1142-05E	5	M 5	2,08	100
1142-06E	6,5	M 6	1,50	100
1142-08E	8	M 8	2,00	50
1142-10E	10	M 8	3,50	50
1142-13E	13	M 12	6,50	50
1142-16E	16	M 14	7,50	25
1142-19E	19	M 14	12,90	25
1142-22E	22	M 16	14,00	
1142-26E	26	M 20	21,60	
1142-30E	30	M 20	29,60	
1142-34E	34	M 22	35,20	
1142-40E	40	M 24	38,00	

09.2005

Simplex staaldraadklemmen
Simplex Drahtseilklemmen
Simplex wire rope clips
Serre-câbles simplex

Verzinkt/verzinkt/galvanized/zingué




 Art.no.	Staalkabel Drahtseil Wire rope Câble Ø mm	Bout (vast) Schraube (fest) Bolt (fixed) Boulon (fermé)	Gewicht Gewicht Weight Poids kg/100	St./Pcs.
411-02E	2	M 4	0,45	100
411-03E	3	M 4	0,70	100
411-04E	4	M 5	1,25	100
411-05E	5	M 6	1,70	100
411-06E	6	M 6	2,50	100

4

Duplex staaldraadklemmen
Duplex Drahtseilklemmen
Duplex wire rope clips
Serre-câbles duplex

Verzinkt/verzinkt/galvanized/zingué




 Art.no.	Staalkabel Drahtseil Wire rope Câble Ø mm	Bout (vast) Schraube (fest) Bolt (fixed) Boulon (fermé)	Gewicht Gewicht Weight Poids kg/100	St./Pcs.
412-02E	2	M 4	0,90	100
412-03E	3	M 4	1,40	100
412-04E	4	M 5	2,50	100
412-05E	5	M 6	3,90	50
412-06E	6	M 6	5,00	50

09.2005

TYPE DEKA
Staaldraadklemmen
Drahtseilklemmen
Wire rope clips
Serre-câbles

Verzinkt/verzinkt/galvanized/zingué




	Art.no.	Staalkabel Drahtseil Wire rope Câble Ø mm	Moer Schraube Bolt Boulon	Gewicht Gewicht Weight Poids kg/100	St./Pcs.
	420-06E	5 - 6	M 6	7,9	20
	420-08E	7 - 8	M 6	12,6	20
	420-10E	9 - 10	M 8	14,4	10
	420-12E	11 - 12	M 10	31,2	10
	420-16E	13 - 16	M 12	46,5	10
	420-20E	17 - 20	M 14	82,5	10
	420-25E	21 - 25	M 16	140,0	10

Eivormklemmen
Eiformklemmen
Oval wire rope clips
Serre-câbles ovoïdes

Verzinkt/verzinkt/galvanized/zingué




	Art.no.	Staalkabel Drahtseil Wire rope Câble Ø mm	Lengte Länge Length Longueur mm	Gewicht Gewicht Weight Poids kg/100	St./Pcs.
	416-02E	2	28	2,2	100
	416-03E	3	28	2,3	100
	416-04E	4	34	4,0	100
	416-05E	5	34	4,1	100
	416-06E	6	35	5,0	100

Eindstop
Rundpressklemmen
Round - Ferrules
Machons - Ronds

Aluminium




	Art.no.	Staalkabel Drahtseil Wire rope Câble Ø mm	Lengte Länge Length Longueur mm	Gewicht Gewicht Weight Poids kg/100	St./Pcs.
	440-20AL	2	7	0,05	100
	440-30AL	3	11	0,1	100
	440-40AL	4	14	0,2	100
	440-50AL	5	18	0,6	100
	440-60AL	6	21	0,9	100

09/2005

DIN 3093
Kabelklemmen - standaard Z
Seilklemmen - Standard Z
Rope clamps - standard Z
Serre-câbles - standard Z


Aluminium




 Art.no.	Touwkern Fasereinlage Fibre core Âme textile		Stalen kern Stahleinlage Steel core Âme métallique		Lengte Länge Length Longueur mm	Gewicht Gewicht Weight Poids kg/100	St./Pcs.
	min.	max.	min.	max.			
430- 10AL	0,9	1,0	0,5	0,8	5	0,01	100
430- 15AL	1,1	1,5	0,9	1,1	6	0,02	100
430- 20AL	1,6	2,0	1,2	1,6	7	0,02	100
430- 25AL	2,1	2,6	1,7	2,1	9	0,05	100
430- 30AL	2,7	3,1	2,2	2,6	11	0,08	100
430- 35AL	3,2	3,6	2,7	3,1	13	0,13	100
430- 40AL	3,7	4,1	3,2	3,6	14	0,18	100
430- 45AL	4,2	4,6	3,7	4,2	16	0,26	100
430- 50AL	4,7	5,1	4,3	4,6	18	0,36	100
430- 60AL	5,2	6,1	4,7	5,5	21	0,59	100
430- 65AL	6,2	6,6	5,6	6,0	23	0,76	50
430- 70AL	6,7	7,2	6,1	6,5	25	0,95	50
430- 80AL	7,3	8,2	6,6	7,2	28	1,37	50
430- 90AL	8,3	9,2	7,3	8,0	32	1,98	50
430-100AL	9,3	10,2	8,1	9,0	35	2,64	50

4

Kabelklemmen koper
Seilklemmen koper
Rope clamps copper
Serre-câbles cuivres




 Art.no.	Touwkern Fasereinlage Fibre core Âme textile		Stalen kern Stahleinlage Steel core Âme métallique		Lengte Länge Length Longueur mm	Gewicht Gewicht Weight Poids kg/100	St./Pcs.
	min.	max.	min.	max.			
435- 20K	1,6	2,0	1,2	1,6	7	0,10	100
435- 25K	2,1	2,6	1,7	2,1	9	0,25	100
435- 30K	2,7	3,1	2,2	2,6	11	0,30	100
435- 35K	3,2	3,6	2,7	3,1	13	0,50	100
435- 40K	3,7	4,1	3,2	3,6	14	0,70	100
435- 45K	4,2	4,6	3,7	4,2	16	1,00	100
435- 50K	4,7	5,1	4,3	4,6	18	1,40	100
435- 60K	5,2	6,1	4,7	5,5	21	2,10	100
435- 65K	6,2	6,6	5,6	6,0	23	2,60	50
435- 70K	6,7	7,2	6,1	6,5	25	3,00	50
435- 80K	7,3	8,2	6,6	7,2	28	4,00	50
435- 90K	8,3	9,2	7,3	8,0	32	4,60	50
435-100K	9,3	10,2	8,1	9,0	35	6,00	50

09.2005

Zonder aansprakelijkheid / Unverbindlich / Without warranty / Sans engagement

**Kabelklemtang
Seil-Preßzange
Cable-swager
Câble pincette**



 Art.no.	Kabelklemmen Seilklemmen Rope clamps Serre-câbles mm	Lengte Länge Length Longueur mm	Gewicht Gewicht Weight Poids kg/100	St./Pcs.
450-21	1 - 2	150	42	
450-23	1,5 - 3	350	92	
450-25	2 - 5	600	223	
450-06	5,5 - 6	600	223	

09.2005

4